

**BINOCULARS**

 **BRAUN®**





## Superior front glasses of top-ranking quality: the ED series



The BRAUN Premium binoculars of the ED series offer your perfect view even at dusk. The use of ED glass for the front lenses reduces colour errors to a minimum. Extra low dispersion glass offers excellent visual experiences with bright and high-contrast images, even at dusk. Ideal for hunting, safaris and other activities with poor lighting conditions.



### **BRAUN Premium 10x56 WP-ED**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 56 mm  
Exit pupil: 5.6 mm  
Eye relief: 18.2 mm  
Field of view: 6.0°, 105 m / 1000 m  
Close focus distance: 3 m  
Dimensions: 165 x 148 x 66 mm  
Weight: 1096 g

item no. 20159



**Minimal colour errors - High light value**



### **BRAUN Premium 8x56 WP-ED**

Magnification: 8x  
ULTRALIT® glass lens  
Lens diameter: 56 mm  
Exit pupil: 7.0 mm  
Eye relief: 23 mm  
Field of view: 6.1°, 107 m / 1000 m  
Close focus distance: 3 m  
Dimensions: 165 x 148 x 66 mm  
Weight: 1086 g

item no. 20158



**Bright and rich in contrast**



## High-grade binoculars for highest demands




Take the BRAUN Premium binoculars to be on tour with a true sense of style: high mechanical quality, speciality alloy and rubber armour covering as well as sophisticated multilayer coatings of all lenses make these binoculars premium-class products. Absolutely waterproof, fogproof and dustproof: full-sized binoculars for highest demands!



### **BRAUN Premium 10 x 42 waterproof**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 42 mm  
Exit pupil: 4.2 mm  
Eye relief: 15 mm  
Field of view: 6.8°, 114 m / 1000 m  
Close focus distance: 1.2 m  
Dimensions: 140 x 110 x 51 mm  
Weight: 780 g

item no. 20157



### **BRAUN Premium 8 x 42 waterproof**

High magnification factor

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 42 mm  
Exit pupil: 5.25 mm  
Eye relief: 18 mm  
Field of view: 7.4°, 129 m / 1000 m  
Close focus distance: 1.2 m  
Dimensions: 140 x 110 x 51 mm  
Weight: 780 g

item no. 20156



Wide field of view (roof principle)



## The Compagno series: practical, compact and most modern in design



The BRAUN Compagno series for sports, fun and games. High quality waterproof binoculars in cutting-edge design which are distinguished by excellent optical quality. No fogging due to nitrogen filling.



### **BRAUN COMPAGNO 8 x 26 WP**

Magnification: 8x  
ULTRALIT® glass lens  
Lens diameter: 26 mm  
Field of view: 6,8°, 118,6 m / 1000 m  
Exit pupil: 3,25 mm  
Eye relief: 16,0 mm  
Waterproof: 0,5 m / 15 min.  
Dimensions: 117 x 115 x 40 mm  
Weight: 325 g

item no. 20000



### **BRAUN COMPAGNO 10 x 26 WP**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 26 mm  
Field of view: 5,6°, 98 m / 1000 m  
Exit pupil: 2,6 mm  
Eye relief: 14,1 mm  
Waterproof: 0,5 m / 15 min.  
Dimensions: 117 x 115 x 40 mm  
Weight: 325 g

item no. 20001



### **BRAUN COMPAGNO 8 x 34 WP**

Magnification: 8x  
ULTRALIT® glass lens  
Lens diameter: 34 mm  
Field of view: 7,0°, 124 m / 1000 m  
Exit pupil: 4,2 mm  
Eye relief: 17,4 mm  
Waterproof: 0,5 m / 15 min.  
Dimensions: 130 x 126 x 45 mm  
Weight: 450 g

item no. 20002



## The Compagno series: practical, compact and most modern in design



The BRAUN Compagno series for sports, fun and games. High quality waterproof binoculars in cutting-edge design which are distinguished by excellent optical quality. No fogging due to nitrogen filling.



### **BRAUN COMPAGNO 10 x 34 WP**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 34 mm  
Field of view: 6,0°, 106 m / 1000 m  
Exit pupil: 3,3 mm  
Eye relief: 16 mm  
Waterproof: 0,5 m / 15 min.  
Dimensions: 130 x 126 x 45 mm  
Weight: 450 g

item no. 20003

### **BRAUN COMPAGNO 8 x 42 WP**



Magnification: 8x  
ULTRALIT® glass lens  
Lens diameter: 42 mm  
Field of view: 7,1°, 124 m / 1000 m  
Exit pupil: 5,2 mm  
Eye relief: 17,3 mm  
Waterproof: 0,5 m / 15 min.  
Dimensions: 146 x 135 x 55 mm  
Weight: 550 g

item no. 20004



### **BRAUN COMPAGNO 10 x 42 WP**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 42 mm  
Field of view: 6,1°, 106 m / 1000 m  
Exit pupil: 4,2 mm  
Eye relief: 16,1 mm  
Waterproof: 0,5 m / 15 min.  
Dimensions: 146 x 135 x 55 mm  
Weight: 550 g

item no. 20005



## Waterproof Well proven optics



Be close to the horizon with BRAUN binoculars. Our **nitrogen filled** and **waterproof** binoculars of the WATERPROOF edition were especially designed for use at sea. A reliable and long-lasting use is guaranteed.



### BRAUN Premium 10 x 50 waterproof

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 50 mm  
Field of view: 6.5°, 114 m / 1000 m  
Exit pupil: 5.0 mm  
Eye relief: 16.16 mm  
Waterproof: 0.5 m / 15 min.  
Dimensions: 181 x 175 x 75 mm  
Weight: 940 g

item no. 20161



### BRAUN Premium 7 x 50 waterproof

Magnification: 7x  
ULTRALIT® glass lens  
Lens diameter: 50 mm  
Field of view: 6.6°, 116 m / 1000 m  
Exit pupil: 7.0 mm  
Eye relief: 24.7 mm  
Waterproof: 0.5 m / 15 min.  
Dimensions: 181 x 175 x 75 mm  
Weight: 940 g

item no. 20160



### BRAUN binocular 8x42 waterproof

Magnification: 8x  
ULTRALIT® glass lens  
Lens diameter: 42 mm  
Field of view: 6.8°, 119 m / 1000 m  
Exit pupil: 5.2 mm  
Eye relief: 17.8 mm  
Waterproof: 1.5 m / 3 min.  
Dimensions: 146 x 53 x 126 mm  
Weight: 670 g

item no. 20150



**Nitrogen filled for fogproof protection**





Be sure of special outdoor adventures with BRAUN binoculars. Their compact design makes the binoculars an ideal companion on your tour and are a must-have for any outdoor equipment. They are ideal for trekking, mountain biking, cross country or any other use "out and about".



### **BRAUN Trekking 10x32 waterproof**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 32 mm  
Exit pupil: 3.2 mm  
Eye relief: 15 mm  
Field of view: 5.5°, 96 m / 1000 m  
Close focus distance: 1.5 m  
Dimensions: 100 x 107 x 48 mm  
Weight: 500 g

item no. 20155

### **BRAUN Trekking 8x32 waterproof**

Magnification: 8x  
ULTRALIT® glass lens  
Lens diameter: 32 mm  
Exit pupil: 4.0 mm  
Eye relief: 16 mm  
Field of view: 7.5°, 131 m / 1000 m  
Close focus distance: 1.5 m  
Dimensions: 110 x 107 x 48 mm  
Weight: 500 g

item no. 20154



### **BRAUN Trekking 10x25 waterproof**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 25 mm  
Exit pupil: 2.5 mm  
Eye relief: 15.5 mm  
Field of view: 5.5°, 96 m / 1000 m  
Close focus distance: 1.5 m  
Dimensions: 100 x 105 x 48 mm  
Weight: 290 g


item no. 20153



**Compact design**



## Distance measurement Compass



The BRAUN Monocular is prepared for special application under free sky. Especially robustly, waterproof to us very compactly. The 8x42 WP-C Monocular is equipped with a compass and a crosshair to the regulation of the distances of the sighted objects



### **BRAUN Monocular 8 x 42 WP-C**

Magnification: 8 x  
ULTRALIT® glass lens  
Lens diameter: 42 mm  
Field of view: 7.0°, 112 m / 1000 m  
Exit pupil: 5.25 mm  
Eye relief: 18.0 mm  
Waterproof: 0.5 m / 20 min.  
Dimensions: 61 x 65 x 143 mm  
Weight: 340 g

item no. 20140



**Robustly - Waterproof - Compactly**



Perspective: South (180°)

Compass:  
With a compass the direction is read in degree.  
The north has an Azimuth from 360°  
the east from 90°  
the south from 180° and  
the west from 270°



## Variable magnification High light value



Ready for new adventures with BRAUN binoculars. The perfect travel companions take you directly to the scene of action from a safe distance.

### **BRAUN binocular 10–30x60 zoom**

Magnification: 10–30x  
ULTRALIT® glass lens  
Lens diameter: 60 mm  
Field of view: 2.0–3.6°, 62–34 m / 1000 m  
Exit pupil: 5.8–2.0 mm  
Eye relief: 4.5–11.7 mm  
Dimensions: 245 x 165 x 78 mm  
Weight: 1100 g

item no. 20117



**Zoom for versatility**

### **BRAUN Binocular 8-24 x 50 Zoom**


Magnification: 8-24 x  
ULTRALIT® glass lens  
Lens diameter: 50 mm  
Field of view: 4.5° – 2.3°, 78 - 40 m / 1000 m  
Exit pupil: 2.1 – 6.2 mm  
Eye relief: 12.5 – 16.5 mm  
Dimensions: 190 x 190 x 65 mm  
Wight: 850 g

item no. 20168



**Zoom for versatility**





Overcome distance with BRAUN binoculars.  
Discover vastness, height and distance as new  
dimensions. Look at details of a small and far-  
off world in a close-up view.

## Universal use High light value



High magnification factor + high light value

### **BRAUN binocular 16 x 50**

Magnification: 16x  
ULTRALIT® glass lens  
Lens diameter: 50 mm  
Field of view: 4.2°, 73 m / 1000 m  
Exit pupil: 2.8 mm  
Eye relief: 6.6 mm  
Dimensions: 157 x 184 x 60 mm  
Weight: 790 g

item no. 20124

### **BRAUN binocular 12 x 50**

Magnification: 12x  
ULTRALIT® glass lens  
Lens diameter: 50 mm  
Field of view: 5.2°, 92 m / 1000 m  
Exit pupil: 3.6 mm  
Eye relief: 12.0 mm  
Dimensions: 157 x 184 x 60 mm  
Weight: 790 g

item no. 20125



High magnification factor + high light value



High magnification factor + high light value

### **BRAUN binocular 10 x 50**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 50 mm  
Field of view: 5.7°, 99 m / 1000 m  
Exit pupil: 5.0 mm  
Eye relief: 11.8 mm  
Dimensions: 175 x 180 x 60 mm  
Weight: 820 g

item no. 20166



**Robustly in use application**  
**Light-strongly in the attractive design**



**BRAUN Binocular**  
**7 x 50**

Magnification: 7 x  
 ULTRALIT® glass lens  
 Lens diameter: 50 mm  
 Field of view: 7.5°, 130 m / 1000 m  
 Exit pupil: 6.5 mm  
 Eye relief: 15 mm  
 Dimensions: 190 x 190 x 65 mm  
 Weight: 850 g

item no. 20123

**High enlargement factor + Light-strongly**

**BRAUN Binocular**  
**8 x 40**

Magnification: 8 x  
 ULTRALIT® glass lens  
 Lens diameter: 40 mm  
 Field of view: 6.6°, 115 m / 1000 m  
 Exit pupil: 5.0 mm  
 Eye relief: 11.0 mm  
 Dimensions: 140 x 175 x 60 mm  
 Weight: 700 g

item no. 20165



**High enlargement factor + Light-strongly**

With BRAUN to binoculars qualify the width of the horizon. The glasses of the BINOCULAR series are compact and robust and therefore the ideal companion at your leisure activities





BRAUN binoculars take you to the heart of sports and competition. Be it horse riding or motor sports, be it indoor or outdoor: our lightweight, ultra-compact binoculars will make your visit to an event an unforgettable experience.

## Ultra-compact series Low weight



### **BRAUN binocular 10x25 titanium-black**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 25 mm  
Field of view: 5.8°, 101 m / 1000 m  
Exit pupil: 2.5 mm  
Eye relief: 10.3 mm  
Dimensions: 118 x 66 x 48 mm  
Weight: 190 g

item no. 20121

**High magnification factor**

### **BRAUN binocular 10x25 black**

Magnification: 10x  
ULTRALIT® glass lens  
Lens diameter: 25 mm  
Field of view: 5.8°, 101 m / 1000 m  
Exit pupil: 2.5 mm  
Eye relief: 10.3 mm  
Dimensions: 112 x 65 x 44 mm  
Weight: 180 g

item no. 20122



**Large field of view**



## Elegant companions for any festival



Be very close to your star with BRAUN binoculars. Our lightweight Opera binoculars are the perfect companions for a night at the opera, theatre or concert house. The colours and materials create an appealing look to perfectly match the classiness of the event. The binoculars are available with and without LED light.



### **BRAUN Opera 3x25 gold-black**

Magnification: 3x  
ULTRALIT® glass lens  
Lens diameter: 25 mm  
Exit pupil: 8.3 mm  
Eye relief: 12.3 mm  
Field of view: 6.0°, 105 m / 1000 m  
Close focus distance: 3 m  
Dimensions: 110 x 50 x 32 mm  
Weight: 140 g  
item no. 20112

### High magnification factor

### **BRAUN Opera 3x25 gold-pearl**

Magnification: 3x  
ULTRALIT® glass lens  
Lens diameter: 25 mm  
Exit pupil: 8.3 mm  
Eye relief: 12.3 mm  
Field of view: 6.0°, 105 m / 1000 m  
Close focus distance: 3 m  
Dimensions: 110 x 50 x 32 mm  
Weight: 140 g

item no. 20113



### **BRAUN Opera 3x25 gold-burgundy with LED light**

Magnification: 3x  
ULTRALIT® glass lens  
Lens diameter: 25 mm  
Exit pupil: 8.3 mm  
Eye relief: 12.3 mm  
Field of view: 6.0°, 105 m / 1000 m  
Close focus distance: 3 m  
Dimensions: 110 x 50 x 32 mm  
Weight: 140 g

item no. 20114



### Large field of view + LED



Precise and  
perfect vision



The BRAUN Spectiv series. Monocular telescope for earth observation.  
Lightweight and compact, making it ideal for nature observation in the woods and fields. Ideally suited for surveillance at sports and spotting.



**NEW:**  
**Smart Phone Holder  
Spectiv**

Weight: 70 g

item no. 57900



**BRAUN Ultralit Spectiv  
20 - 60 x 60**

ULTRALIT® glass lens  
Lens diameter: 60 mm  
Field of view: 1,8°-0,9°, 31 m - 16 m  
Exit pupil: 3,0-1,0 mm  
Eye relief: 13,5-11,0 mm  
Waterproof: yes  
Dimensions: 335 x 60 x 150 mm  
Weight: 775 g

item no. 20131



**BRAUN Ultralit Spectiv  
20 - 60 x 80**

ULTRALIT® glass lens  
Lens diameter: 80 mm  
Field of view: 1,9°-0,95°, 33 m - 16,5 m  
Exit pupil: 4,0-1,3 mm  
Eye relief: 13,5-11,0 mm  
Waterproof: yes  
Dimensions: 438 x 95 x 150 mm  
Weight: 1195 g

item no. 20132





**See at night.  
Nothing is a secret anymore**



The BRAUN Night Vision 3.0 turns a dark night into daylight. Looking like a cat at night. More to see, more experience, more security. The seeing in twilight and darkness is significantly improved.



**BRAUN  
Night Vision 3.0**

Magnification: 3 x  
Lens diameter: 14,5 mm  
Field of vision: 14°  
Field of view at Night: max. 100 m  
Infrared: integrated  
Exit pupil: 20 mm  
Dimensions: 134 x 92 x 47 mm  
Weight: 250 g

item no. 20171





BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN PREMIUM  
10x56 WP-ED**



**BRAUN PREMIUM  
8x56 WP-ED**



**BRAUN PREMIUM  
10x42 waterproof**



**BRAUN PREMIUM  
8x42 waterproof**



**BRAUN PREMIUM  
10 x 50 WP**

|                               |                              |                              |                              |                              |                            |
|-------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|
| Folder page                   | 3                            | 3                            | 5                            | 5                            | 11                         |
| Leisure + travel              | ●                            | ●                            | ●                            | ●                            | ●                          |
| Events                        | ●                            | ●                            | ●                            | ●                            | ●                          |
| Outdoor                       | ●                            | ●                            | ●                            | ●                            | ●                          |
| Bird + game watching, hunting | ●                            | ●                            | ●                            | ●                            | ●                          |
| Astronomy                     | ●                            | ●                            | ●                            | ●                            | ●                          |
| Magnification                 | 10x                          | 8x                           | 10x                          | 8x                           | 10x                        |
| Lens system                   | ULTRALIT®                    | ULTRALIT®                    | ULTRALIT®                    | ULTRALIT®                    | ULTRALIT®                  |
| Lens diameter                 | 56 mm                        | 56 mm                        | 42 mm                        | 42 mm                        | 50 mm                      |
| Light value                   | 31.4                         | 49                           | 17.6                         | 27.6                         | 25                         |
| Twilight number               | 23.7                         | 21.2                         | 20.5                         | 18.3                         | 22.4                       |
| Prism                         | Roof BAK-4                   | Roof BAK-4                   | Roof BAK-4                   | Roof BAK-4                   | Porro, BAK-4               |
| Lens coating                  | Compl. multilayer coating    | Compl. multilayer coating    | Compl. multilayer coating    | Compl. multilayer coating    | ●                          |
| Focusing                      | Central                      | Central                      | Central                      | Central                      | Central                    |
| Exit pupil                    | 5.6 mm                       | 7.0 mm                       | 4.2 mm                       | 5.25 mm                      | 5.0 mm                     |
| Eye relief                    | 18.2 mm                      | 23 mm                        | 15 mm                        | 18 mm                        | 16.16 mm                   |
| Field of view                 | 6.0°, 105 m / 1000 m         | 6.1°, 107 m / 1000 m         | 6.5°, 114 m / 1000 m         | 7.4°, 129 m / 1000 m         | 6.5°, 114 m / 1000 m       |
| Close focus distance          | 3 m                          | 3 m                          | 1.2 m                        | 1.2 m                        | 7 m                        |
| Diopter adjustment            | -4 / +4                      | -4 / +4                      | -4 / +4                      | -4 / +4                      | -4 / +4                    |
| Interpupillary distance       | 56–74 mm                     | 56–74 mm                     | 56–74 mm                     | 56–74 mm                     | 56 -72 mm                  |
| Waterproof (max. depth/time)  | 1 m / 5 min.                 | 1 m / 5 min.                 | 1.5 m / 3 min.               | 1.5 m / 3 min.               | 0.5 m / 15 min.            |
| Nitrogen filled               | ●                            | ●                            | ●                            | ●                            | ●                          |
| Eyecup system                 | Rubber twist-up <sup>2</sup> | Rubber twist-up <sup>2</sup> | Rubber twist-up <sup>2</sup> | Rubber twist-up <sup>2</sup> | Rubber pop-up <sup>1</sup> |
| Thread for tripod             | ●                            | ●                            | ●                            | ●                            | ●                          |
| Dimensions                    | 165 x 148 x 66 mm            | 165 x 148 x 66 mm            | 140 x 110 x 51 mm            | 140 x 110 x 51 mm            | 181 x 175 x 75 mm          |
| Weight                        | 1096 g                       | 1086 g                       | 780 g                        | 780 g                        | 940 g                      |
| Item no. / EAN                | 20159 / 40 00567 20159 5     | 20158 / 40 00567 20158 8     | 20157 / 40 00567 20157 1     | 20156 / 40 00567 20156 4     | 20161 / 40 00567 20161 8   |

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, <sup>1</sup> = fold down eyecups, <sup>2</sup> = twist-type snap-on eyecups



BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN PREMIUM  
7 x 50 WP**



**BRAUN Compagno  
8 x 26 WP**



**BRAUN Compagno  
10 x 26 WP**



**BRAUN Compagno  
8 x 34 WP**



**BRAUN Compagno  
10 x 34 WP**

|                               |                            |                             |                              |                              |                              |
|-------------------------------|----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|
| Folder page                   | 11                         | 7                           | 7                            | 7                            | 9                            |
| Leisure + travel              | ●                          | ●                           | ●                            | ●                            | ●                            |
| Events                        | ●                          | ●                           | ●                            | ●                            | ●                            |
| Outdoor                       | ●                          | ●                           | ●                            | ●                            | ●                            |
| Bird + game watching, hunting | ●                          | ●                           | ●                            | ●                            | ●                            |
| Astronomy                     | ●                          | ●                           | ●                            | ●                            | ●                            |
| Magnification                 | 7x                         | 8x                          | 10x                          | 8x                           | 10x                          |
| Lens system                   | ULTRALIT®                  | ULTRALIT®                   | ULTRALIT®                    | ULTRALIT®                    | ULTRALIT®                    |
| Lens diameter                 | 50 mm                      | 26 mm                       | 26 mm                        | 34 mm                        | 34 mm                        |
| Light value                   | 49                         | 10,6                        | 6,8                          | 17,6                         | 10,9                         |
| Twilight number               | 18.7                       | 14,4                        | 16,1                         | 16,5                         | 18,4                         |
| Prism                         | Porro, BAK-4               | Porro, BAK-4                | Porro, BAK-4                 | Porro, BAK-4                 | Porro, BAK-4                 |
| Lens coating                  | ●                          | -                           | -                            | -                            | -                            |
| Focusing                      | Central                    | Central                     | Central                      | Central                      | Central                      |
| Exit pupil                    | 7.0 mm                     | 3,25 mm                     | 2,6 mm                       | 4,2 mm                       | 3,3 mm                       |
| Eye relief                    | 27.4 mm                    | 16,0 mm                     | 14,1 mm                      | 17,4 mm                      | 16,0 mm                      |
| Field of view                 | 6.6°, 116 m / 1000 m       | 6,8°, 118,6 m / 1000 m      | 5,6°, 98 m / 1000 m          | 7,0°, 124 m / 1000 m         | 6,0°, 106 m / 1000 m         |
| Close focus distance          | 7 m                        | 4 m                         | 4 m                          | 4 m                          | 4 m                          |
| Diopter adjustment            | -2 / +2                    | -4 / +4                     | -4 / +4                      | -4 / +4                      | -4 / +4                      |
| Interpupillary distance       | 56 - 72 mm                 | 56 - 74 mm                  | 56 - 74 mm                   | 56 - 74 mm                   | 56 - 74 mm                   |
| Waterproof (max. depth/time)  | 0.5 m / 15 min.            | 0,5 m / 15 min.             | 0,5 m / 15 min.              | 0,5 m / 15 min.              | 0,5 m / 15 min.              |
| Nitrogen filled               | ●                          | ●                           | ●                            | ●                            | ●                            |
| Eyecup system                 | Rubber pop-up <sup>1</sup> | RubberTwist-up <sup>2</sup> | Rubber Twist-up <sup>2</sup> | Rubber Twist-up <sup>2</sup> | Rubber Twist-up <sup>2</sup> |
| Thread for tripod             | ●                          | ●                           | ●                            | ●                            | ●                            |
| Dimensions                    | 181 x 175 x 75 mm          | 117 x 115 x 40 mm           | 117 x 115 x 40 mm            | 130 x 126 x 45 mm            | 130 x 126 x 45 mm            |
| Weight                        | 940 g                      | 325 g                       | 325 g                        | 450 g                        | 450 g                        |
| Item no. / EAN                | 20160 / 40 00567 20160 1   | 20000 / 40 00567 20000 6    | 20001 / 40 00567 20001 7     | 20002 / 40 00567 20002 4     | 20003 / 40 00567 20003 1     |

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, <sup>1</sup> = fold down eyecups, <sup>2</sup> = twist-type snap-on eyecups



BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Compagno  
8 x 42 WP**



**BRAUN Compagno  
10 x 42 WP**



**BRAUN TREKKING  
10 x 32 WP**



**BRAUN TREKKING  
8 x 32 WP**



**BRAUN TREKKING  
10 x 25 WP**

|                               |                              |                             |                             |                             |                             |
|-------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Folder page                   | 9                            | 9                           | 13                          | 13                          | 13                          |
| Leisure + travel              | ●                            | ●                           | ●                           | ●                           | ●                           |
| Events                        | ●                            | ●                           | ●                           | ●                           | ●                           |
| Outdoor                       | ●                            | ●                           | ●                           | ●                           | ●                           |
| Bird + game watching, hunting | ●                            | ●                           | ●                           | ●                           | ●                           |
| Astronomy                     | ●                            | ●                           | ●                           | ●                           | ●                           |
| Magnification                 | 8x                           | 10x                         | 10x                         | 8x                          | 10x                         |
| Lens system                   | ULTRALIT®                    | ULTRALIT®                   | ULTRALIT®                   | ULTRALIT®                   | ULTRALIT®                   |
| Lens diameter                 | 42 mm                        | 42 mm                       | 32 mm                       | 32 mm                       | 25 mm                       |
| Light value                   | 27,0                         | 17,6                        | 10,2                        | 16,0                        | 6,25                        |
| Twilight number               | 18,3                         | 20,5                        | 17,9                        | 16,0                        | 15,8                        |
| Prism                         | Porro, BAK-4                 | Porro, BAK-4                | Dachkant BAK-4              | Dachkant BAK-4              | Dachkant BAK-4              |
| Lens coating                  | -                            | -                           | kompl. Mehrfachvergütung    | kompl. Mehrfachvergütung    | kompl. Mehrfachvergütung    |
| Focusing                      | Central                      | Central                     | Zentral                     | Zentral                     | Zentral                     |
| Exit pupil                    | 5,2 mm                       | 4,2 mm                      | 3,2 mm                      | 4,0 mm                      | 2,5 mm                      |
| Eye relief                    | 17,3 mm                      | 16,1 mm                     | 15 mm                       | 16 mm                       | 15,5 mm                     |
| Field of view                 | 7,1°, 124 m / 1000 m         | 6,1°, 106 m / 1000 m        | 5,5°, 96 m / 1000 m         | 7,5°, 131 m / 1000 m        | 5,5°, 96 m / 1000 m         |
| Close focus distance          | 4 m                          | 4 m                         | 1,5 m                       | 1,5 m                       | 1,5 m                       |
| Dioptr adjustment             | -4 / +4                      | -4 / +4                     | -4 / +4                     | -4 / +4                     | -4 / +4                     |
| Interpupillary distance       | 56 - 74 mm                   | 56 - 74 mm                  | 56 -74 mm                   | 56 -74 mm                   | 56 -74 mm                   |
| Waterproof (max. depth/time)  | 0,5 m / 15 min.              | 0,5 m / 15 min.             | 1,5 m / 3 min.              | 1,5 m / 3 min.              | 1,5 m / 3 min.              |
| Nitrogen filled               | ●                            | ●                           | ●                           | ●                           | ●                           |
| Eyecup system                 | Rubber Twist-up <sup>2</sup> | RubberTwist-up <sup>2</sup> | Gummi Twist-up <sup>2</sup> | Gummi Twist-up <sup>2</sup> | Gummi Twist-up <sup>2</sup> |
| Thread for tripod             | ●                            | ●                           | ●                           | ○                           | ●                           |
| Dimensions                    | 146 x 135 x 55 mm            | 146 x 135 x 55 mm           | 100 x 107 x 48 mm           | 110 x 107 x 48 mm           | 100 x 105 x 48 mm           |
| Weight                        | 550 g                        | 550 g                       | 500 g                       | 500 g                       | 290 g                       |
| Item no. / EAN                | 20004 / 40 00567 20004 8     | 20005 / 40 00567 20005 5    | 20155 / 40 00567 20155 7    | 20154 / 40 00567 20154 0    | 20153 / 40 00567 20153 3    |

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, <sup>1</sup> = fold down eyecups, <sup>2</sup> = twist-type snap-on eyecups



BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Binocular  
8 x 42 WP**



**BRAUN Monocular  
8 x 42 WP-C**



**BRAUN Binocular  
10-30 x 60 Zoom**



**BRAUN Binocular  
8-24 x 50 Zoom**



**BRAUN Binocular  
16 x 50**

|                               |                             |                            |                            |                             |                            |
|-------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| Folder page                   | 11                          | 15                         | 17                         | 17                          | 19                         |
| Leisure + travel              | ●                           | ●                          | ●                          | ●                           | ●                          |
| Events                        | ●                           | ●                          | ●                          | ●                           | ●                          |
| Outdoor                       | ●                           | ●                          | ●                          | ●                           | ●                          |
| Bird + game watching, hunting | ●                           | ●                          | ●                          | ●                           | ●                          |
| Astronomy                     | ●                           | ●                          | ●                          | ●                           | ●                          |
| Magnification                 | 8x                          | 8x                         | 10–30x                     | 8-24x                       | 16x                        |
| Lens system                   | ULTRALIT®                   | ULTRALIT®                  | ULTRALIT®                  | ULTRALIT®                   | ULTRALIT®                  |
| Lens diameter                 | 42 mm                       | 42 mm                      | 60 mm                      | 50 mm                       | 50 mm                      |
| Light value                   | 27,6                        | 27.6                       | 33.6-4                     | 38.4 - 4.4                  | 7.8                        |
| Twilight number               | 18,3                        | 18.3                       | 24.5–42.4                  | 20.0 - 34.6                 | 28.3                       |
| Prism                         | Dachkant BAK-4              | Roof BAK-4                 | Porro BK 7                 | Porro, BK 7                 | Porro BK 7                 |
| Lens coating                  | ●                           | ●                          | ●                          | ●                           | ●                          |
| Focusing                      | Zentral                     | Central                    | Central                    | Central                     | Central                    |
| Exit pupil                    | 5,2 mm                      | 5.25 mm                    | 5.8–2 mm                   | 2.1-6.2 mm                  | 2.8 mm                     |
| Eye relief                    | 17,8 mm                     | 18 mm                      | 4.5–11.7 mm                | 12.5-16.5 mm                | 6.6 mm                     |
| Field of view                 | 6,8°, 119 m / 1000 m        | 7.0°, 112 m / 1000 m       | 2.0–3.6°, 62–34 m / 1000 m | 4.5°-2.3°, 78-40 m / 1000 m | 4.2°, 73 m / 1000 m        |
| Close focus distance          | 4 m                         | 13 m                       | 15 m                       | 10 m                        | 10 m                       |
| Diopter adjustment            | -4 / +4                     | -4 / +4                    | -4 / +4                    | -2 / +2                     | -4 / +4                    |
| Interpupillary distance       | 56 -74 mm                   | 56 -74 mm                  | 56–74 mm                   | 56 -72 mm                   | 56–74 mm                   |
| Waterproof (max. depth/time)  | 1,5 m / 3 min.              | 0.5 m / 20 min.            | ○                          | ○                           | ○                          |
| Nitrogen filled               | ●                           | ●                          | ○                          | ○                           | ○                          |
| Eyecup system                 | Gummi Twist-up <sup>2</sup> | Rubber pop-up <sup>2</sup> | Rubber pop-up <sup>1</sup> | Rubber pop-up <sup>1</sup>  | Rubber pop-up <sup>1</sup> |
| Thread for tripod             | ●                           | ○                          | ●                          | ●                           | ●                          |
| Dimensions                    | 146 x 126 x 53 mm           | 61 x 65 x 143 mm           | 245 x 165 x 78 mm          | 190 x 190 x 65 mm           | 157 x 184 x 60 mm          |
| Weight                        | 670 g                       | 340 g                      | 1100 g                     | 850 g                       | 790 g                      |
| Item no. / EAN                | 20150 / 40 00567 20150 2    | 20140 / 40 00567 20140 3   | 20117 / 40 00567 20117 5   | 20168 / 40 00567 20168 7    | 20124 / 40 00567 20124 3   |

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, <sup>1</sup> = fold down eyecups, <sup>2</sup> = twist-type snap-on eyecups



BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Binocular  
12 x 50**



**BRAUN Binocular  
7 x 50**



**BRAUN Binocular  
10 x 50**



**BRAUN Binocular  
8 x 40**



**BRAUN Binocular  
10 x 25 titan-schwarz**

|                               |                            |                          |                          |                          |                            |
|-------------------------------|----------------------------|--------------------------|--------------------------|--------------------------|----------------------------|
| Folder page                   | 19                         | 21                       | 19                       | 21                       | 23                         |
| Leisure + travel              | ●                          | ●                        | ●                        | ●                        | ●                          |
| Events                        | ●                          | ●                        | ●                        | ●                        | ●                          |
| Outdoor                       | ●                          | ●                        | ●                        | ●                        | ●                          |
| Bird + game watching, hunting | ●                          | ●                        | ●                        | ●                        | ○                          |
| Astronomy                     | ●                          | ●                        | ●                        | ●                        | ○                          |
| Magnification                 | 12x                        | 7x                       | 10x                      | 8x                       | 10x                        |
| Lens system                   | ULTRALIT®                  | ULTRALIT®                | ULTRALIT®                | ULTRALIT®                | ULTRALIT®                  |
| Lens diameter                 | 50 mm                      | 50 mm                    | 50 mm                    | 40 mm                    | 25 mm                      |
| Light value                   | 13                         | 42.3                     | 25                       | 25                       | 6.25                       |
| Twilight number               | 24.5                       | 18.7                     | 22.4                     | 17.9                     | 15.8                       |
| Prism                         | Porro BK 7                 | Porro BK 7               | Porro BK 7               | Porro BK 7               | Roof BK 7                  |
| Lens coating                  | ●                          | ●                        | ●                        | ●                        | ●                          |
| Focusing                      | Central                    | Central                  | Central                  | Central                  | Central                    |
| Exit pupil                    | 3.6 mm                     | 6.5 mm                   | 5.0 mm                   | 5.0 mm                   | 2.5 mm                     |
| Eye relief                    | 12.0 mm                    | 15 mm                    | 11.8 mm                  | 11 mm                    | 10.3 mm                    |
| Field of view                 | 5.2°, 92 m / 1000 m        | 7.5°, 130 m / 1000 m     | 5.7°, 99 m / 1000 m      | 6.6°, 115 m / 1000 m     | 5.8°, 101 m / 1000 m       |
| Close focus distance          | 10 m                       | 10 m                     | 10 m                     | 10 m                     | 2.5 m                      |
| Diopter adjustment            | -4 / +4                    | -4 / +4                  | -4 / +4                  | -4 / +4                  | -4 / +4                    |
| Interpupillary distance       | 56–74 mm                   | 56 -74 mm                | 56 -74 mm                | 56 -74 mm                | 56–74 mm                   |
| Waterproof (max. depth/time)  | ○                          | ○                        | ○                        | ○                        | ○                          |
| Nitrogen filled               | ○                          | ○                        | ○                        | ○                        | ○                          |
| Eyecup system                 | Rubber pop-up <sup>1</sup> | -                        | -                        | -                        | Rubber pop-up <sup>1</sup> |
| Thread for tripod             | ●                          | ●                        | ●                        | ●                        | ○                          |
| Dimensions                    | 157 x 184 x 60 mm          | 190 x 190 x 65 mm        | 175 x 180 x 60 mm        | 140 x 175 x 60 mm        | 118 x 66 x 48 mm           |
| Weight                        | 790 g                      | 850 g                    | 820 g                    | 700 g                    | 190 g                      |
| Item no. / EAN                | 20125 / 40 00567 20125 0   | 20123 / 40 00567 20123 6 | 20166 / 40 00567 20123 6 | 20165 / 40 00567 20123 6 | 20121 / 40 00567 20121 2   |

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions.

Legend: ● = yes, ○ = no, <sup>1</sup> = fold down eyecups, <sup>2</sup> = twist-type snap-on eyecups



BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Binocular  
10 x 25 schwarz**



**BRAUN Opera  
3x25 gold-black**



**BRAUN Opera  
3x25 gold-pearl**



**BRAUN Opera LED  
3x25 gold-burgundy**



**BRAUN Ultralit Spectiv  
15 - 45 x 60**

|                               |                            |                          |                          |                          |                              |
|-------------------------------|----------------------------|--------------------------|--------------------------|--------------------------|------------------------------|
| Folder page                   | 23                         | 25                       | 25                       | 25                       | 27                           |
| Leisure + travel              | ●                          | -                        | -                        | -                        | ●                            |
| Events                        | ●                          | ●                        | ●                        | ●                        | ●                            |
| Outdoor                       | ●                          | -                        | -                        | -                        | ●                            |
| Bird + game watching, hunting | ○                          | -                        | -                        | -                        | ●                            |
| Astronomy                     | ○                          | -                        | -                        | -                        | ●                            |
| Magnification                 | 10x                        | 3x                       | 3x                       | 3x                       | 15 - 45 x                    |
| Lens system                   | ULTRALIT®                  | ULTRALIT®                | ULTRALIT®                | ULTRALIT®                | ULTRALIT®                    |
| Lens diameter                 | 25 mm                      | 25 mm                    | 25 mm                    | 25 mm                    | 60 mm                        |
| Light value                   | 6.25                       | 68.9                     | 68.9                     | 68.9                     | 16 - 2,2                     |
| Twilight number               | 15.8                       | 8.7                      | 8.7                      | 8.7                      | 30 - 52                      |
| Prism                         | Roof BK 7                  | Galilean BK 7            | Galilean BK 7            | Galilean BK 7            | BK 7                         |
| Lens coating                  | ●                          | ●                        | ●                        | ●                        | Frontlinse                   |
| Focusing                      | Central                    | Central                  | Central                  | Central                  | Central                      |
| Exit pupil                    | 2.5 mm                     | 8.3 mm                   | 8.3 mm                   | 8.3 mm                   | 4,0 - 1,5 mm                 |
| Eye relief                    | 10.3 mm                    | -                        | -                        | -                        | 12,0 - 15,0 mm               |
| Field of view                 | 5.8°, 101 m / 1000 m       | 6.0°, 105 m / 1000 m     | 6.0°, 105 m / 1000 m     | 6.0°, 105 m / 1000 m     | 2,2°-1,2°, 38 m - 21 m       |
| Close focus distance          | 2.5 m                      | 3 m                      | 3 m                      | 3 m                      | -                            |
| Diopter adjustment            | -4 / +4                    | -                        | -                        | -                        | -                            |
| Interpupillary distance       | 56–74 mm                   | -                        | -                        | -                        | -                            |
| Waterproof (max. depth/time)  | ○                          | -                        | -                        | -                        | ○                            |
| Nitrogen filled               | ○                          | ○                        | ○                        | ○                        | ○                            |
| Eyecup system                 | Rubber pop-up <sup>1</sup> | -                        | -                        | -                        | Rubber Twist-up <sup>2</sup> |
| Thread for tripod             | ○                          | -                        | -                        | -                        | ●                            |
| Dimensions                    | 112 x 65 x 44 mm           | 110 x 50 x 32 mm         | 110 x 50 x 32 mm         | 110 x 50 x 32 mm         | 300 x 60 x 137 mm            |
| Weight                        | 180 g                      | 140 g                    | 140 g                    | 140 g                    | 675 g                        |
| Item no. / EAN                | 20122 / 40 00567 20122 9   | 20112 / 40 00567 20112 0 | 20113 / 40 00567 20113 7 | 20114 / 40 00567 20114 4 | 20130 / 40 00567 20130 4     |

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions. **Tripod included with Spectiv.**

Legend: ● = yes, ○ = no, <sup>1</sup>= fold down eyecups, <sup>2</sup> = twist-type snap-on eyecups.



BRAUN binoculars excel in robustness, modern design and high-quality optics.



**BRAUN Ultralit Spectiv  
20 - 60 x 60**



**BRAUN Ultralit Spectiv  
20 - 60 x 80**



**BRAUN  
Night Vision 3.0**

|                               |                              |                              |                                         |
|-------------------------------|------------------------------|------------------------------|-----------------------------------------|
| Folder page                   | 27                           | 27                           | 29                                      |
| Leisure + travel              | ●                            | ●                            | ●                                       |
| Events                        | ●                            | ●                            | ●                                       |
| Outdoor                       | ●                            | ●                            | ●                                       |
| Bird + game watching, hunting | ●                            | ●                            | ●                                       |
| Astronomy                     | ●                            | ●                            | ○                                       |
| Magnification                 | 20- 60 x                     | 20- 60 x                     | 3 x                                     |
| Lens system                   | ULTRALIT®                    | ULTRALIT®                    | -                                       |
| Lens diameter                 | 60 mm                        | 80 mm                        | 14,5 mm                                 |
| Light value                   | 9 -1                         | 16 - 1,7                     | -                                       |
| Twilight number               | 34,6 - 60                    | 40,0 - 69,3                  | -                                       |
| Prism                         | BAK-4                        | BAK-4                        | -                                       |
| Lens coating                  | Compl. multilayer coating    | Compl. multilayer coating    | -                                       |
| Focusing                      | Central                      | Central                      | -                                       |
| Exit pupil                    | 3,0 - 1,0 mm                 | 4,0 - 1,3 mm                 | 20 mm                                   |
| Eye relief                    | 13,5 - 11,0 mm               | 13,5 - 11,0 mm               | -                                       |
| Field of view                 | 1,8°-0,9°, 31 m - 16 m       | 1,9°-0,95°, 33 m - 16,5 m    | 14°                                     |
| Close focus distance          | -                            | -                            | 1 m - Field of view by night max. 100 m |
| Diopter adjustment            | -                            | -                            | -                                       |
| Interpupillary distance       | -                            | -                            | -                                       |
| Waterproof (max. depth/time)  | ●                            | ●                            | ○                                       |
| Nitrogen filled               | ●                            | ●                            | ○                                       |
| Eyecup system                 | Rubber Twist-up <sup>2</sup> | Rubber Twist-up <sup>2</sup> | ○                                       |
| Thread for tripod             | ●                            | ●                            | ○                                       |
| Dimensions                    | 335 x 60 x 150 mm            | 438 x 95 x 150 mm            | 134 x 92 x 47 mm                        |
| Weight                        | 775 g                        | 1195 g                       | 250 g                                   |
| Item no. / EAN                | 20131 / 40 00567 20131 1     | 20132 / 40 00567 20132 8     | 20171 / 40 00567 20171 7                |

|                   |                    |
|-------------------|--------------------|
| Voltage supply    | 4,5 - 6,0 V DC     |
| Battery typ       | 4 x AA 1,5 V       |
| Battery lifetime  | 2 - 3,5 Std.       |
| Infrared lighting | integrity          |
| Storage option    | Micro-SD 32 G max. |

Accessories: Ever-ready case, carrying strap, cleaning cloth, operating instructions. **Tripod included with Spectivs.**  
Legend: ● = yes, ○ = no, <sup>1</sup>= fold down eyecups, <sup>2</sup> = twist-type snap-on eyecups.





**BRAUN**  
GERMANY

seit 1906

Merkurstraße 8  
D-72184 Eutingen  
Phone +49 (0) 74 57-94 65-60  
Fax +49 (0) 74 57-94 65-72  
[www.braun-phototechnik.de](http://www.braun-phototechnik.de)  
[post@braun-phototechnik.de](mailto:post@braun-phototechnik.de)